



Resource LabelGroup, LLC

PHONE: 615.661.5900

147 Seaboard Lane
Franklin, TN 37067

email artwork to:
art@resourcelabel.com

If you have any
questions, please contact

RLG CSR
Fax: 615-661-5950

DATE: 1/8/07

COMPANY: Organic Laboratories, Inc.

ATTENTION: Mike Williams

DESCRIPTION: Fosilica 0-0-26 2.5 Gal

Front

LABEL SIZE: 6.75 x 6.75

SHAPE: RCR

LABELS/OD: 10" O.D.

UPC: None

FINISH: Lam

STOCK:

ADHESIVE:

RLG PART #: 2774-80095A

ARTIST: AT/JJ

REWIND 4



PLEASE EXAMINE THIS PROOF CAREFULLY FOR COPY, LAYOUT, SIZE COLOR BREAK, FDA, USDA, OR ANY OTHER AGENCY REGULATIONS. THE INFORMATION ON THIS PROOF APPROVAL, THE CONTENT AND ACCURACY OF THIS INFORMATION IS YOUR RESPONSIBILITY. RESOURCE LABELGROUP ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF COPY OR LEGAL COMPLIANCE OF THIS PROOF. YOUR SIGNATURE IS OUR AUTHORIZATION TO PRODUCE THIS ART WORK AS REPRESENTED BY THIS PROOF. PLEASE VERIFY AND SIGN THIS PROOF APPROVAL. NO PRODUCTION WILL BEGIN WITHOUT SIGNED APPROVAL.

RLG Proof Approval

Color proofs are not true representations of color, use for color breaks only.



PROCESS BLACK



PANTONE 342



DIELINE (does not print)

APPROVED

AS IS:

Signature of Authorized Customer Representative

Date

CHANGES:

(Please mark below)

Signature of Authorized Customer Representative

Date

FOSILICA

0-0-26

Potassium Phosphite & Potassium Silicate Fertilizer

Fosilica is a supplemental potassium fertilizer derived from potassium phosphite, a product obtained when phosphorous acid is neutralized with potassium hydroxide, and potassium silicate. Contains no available phosphate. Foliar fertilization is intended as a supplement to regular fertilization program and may not, by itself, provide the nutrients normally required by crops or other intended plants.

GUARANTEED ANALYSIS:

Soluble Potash (K₂O).....26.0%
Derived from: potassium phosphite, potassium silicate F-1251

CAUTION

**KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED**

SHAKE BEFORE USE: Polymers in this product have different densities that may result in layering over time but does not affect product integrity if shaken before use.

Before using this product, read all precautions, directions for use, conditions of sale, limited warranty and limits of liability and remedies.

Harmful if swallowed. May cause skin irritation. Avoid contact with skin and eyes. Wear suitable gloves and face shield when handling this product.

Skin contact: Wash with soap and water.

Eye contact: Flush with water for several minutes and then seek medical attention immediately

If inhaled: Move to fresh air and seek medical attention if irritation develops or persists.

If swallowed: If conscious, give milk or water to drink. Call a doctor immediately.

FORMULATION WARNING:

Fosilica contains soluble silica derived from potassium silicate. Fosilica should not be tank mixed with low pH products, as the silica may precipitate out of solution and clog irrigation or spray equipment when used at high rates. If the results are unknown when applying Fosilica with other products, conduct a compatibility test on a small plant sample before a larger area is treated. Fosilica is compatible with copper-based products under certain conditions. Do not use with copper if the final tank mix solution has a pH of 6.0 or less, or plant injury may occur. Do not exceed a 2% v/v spray solution for foliar applications. Do not use surfactants or adjuvants with this product.

Net contents:
2.5 gallons
Net weight:
12.6 lbs. per gallon

Manufactured by:

Terra Nova Turf Products: a division of Organic Laboratories, Inc.

2963 SE Dominica Terrace, Stuart, FL 34997 772-286-5581 www.organiclabs.com



20X

↓ OPEN HERE ↓



Resource LabelGroup, LLC

PHONE: 615.661.5900

147 Seaboard Lane
Franklin, TN 37067

email artwork to:
art@resource-label.com

If you have any
questions, please contact

RLG CSR
Fax: 615-661-5950

DATE: 1/8/07

COMPANY: Organic Laboratories, Inc.

ATTENTION: Mike Williams

DESCRIPTION: Fosilica 0-0-26 2.5 Gal

Inside

LABEL SIZE: 6.75 x 6.75

SHAPE: RCR

LABELS/OD: 10" O.D.

UPC: None

FINISH: Lam

STOCK:

ADHESIVE:

RLG PART #: 2774-80095A

ARTIST: AT/JJ

REWIND 4



PLEASE EXAMINE THIS PROOF CAREFULLY FOR COPY, LAYOUT, SIZE COLOR BREAK, FDA, USDA, OR ANY OTHER AGENCY REGULATIONS. THE INFORMATION ON THIS PROOF APPROVAL, THE CONTENT AND ACCURACY OF THIS INFORMATION IS YOUR RESPONSIBILITY. RESOURCE LABELGROUP ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF COPY OR LEGAL COMPLIANCE OF THIS PROOF. YOUR SIGNATURE IS OUR AUTHORIZATION TO PRODUCE THIS ART WORK AS REPRESENTED BY THIS PROOF. PLEASE VERIFY AND SIGN THIS PROOF APPROVAL. NO PRODUCTION WILL BEGIN WITHOUT SIGNED APPROVAL.

RLG Proof Approval

Color proofs are not true representations of color, use for color breaks only.

PROCESS
BLACK



DIELINE
(does not print)

APPROVED
AS IS:

Signature of Authorized Customer Representative Date

CHANGES:

(Please mark below) Signature of Authorized Customer Representative Date

DIRECTIONS FOR USE:

WARM AND COOL SEASON TURFGRASS		
Applications	Rate	Comments
Tees and Greens	3-6 ounces per 1,000 square feet	Apply 3 ounces every 21-28 days for maintenance. Apply 6 ounces every 14 days when environmental conditions favor stress. Apply in a minimum of 2 gallons of water per 1,000 square feet
Fairways and other Sports Turf	1 gallon per acre	Apply one gallon per acre every 30 days during active growth period. When environmental conditions favor stress, apply every 14 days. Apply in a minimum of 100 gallons of water per acre
Overseeding, sprigging, or laying of sod	1 gallon per acre	Apply at the time of germination, sprigging, or laying of sod and at 14 day intervals thereafter in a minimum of 100 gallons of water / acre until turf is well established

CONIFERS AND WOODY ORNAMENTALS		
Applications	Rate	Comments
Unrooted cuttings	1 ounce per gallon of water	Immerse cuttings in solution for 1-2 minutes prior to planting
Seedlings	1 ounce per gallon of water	Apply as a foliar spray. Make the 1 st application 2-3 days after germination followed by 2 nd application 7 days later. Thereafter, reapply every 14 days until plants are established.
Transplanting	1 ounce per gallon of water	Apply as a foliar spray to seedling tray prior to transplanting.
Container Production	Foliar Sprays: Dilute 4 quarts per 100 gallons of water and apply every 21 days. When plants are stressed, apply every 7-14 days Drench Applications: Dilute 1/2 ounce per gallon of water and drench containers with only enough diluted solution to moisten throughout the root zone.	
Landscape Installations	6 pints per 100 gallons of water	At time of transplanting, apply one gallon of diluted solution to the root zone for each one inch of trunk caliper

TROPICAL FOLIAGE, BEDDING PLANTS & CUT FLOWERS		
Applications	Rate	Comments
Stock Plants	1 ounce per gallon of water	Immerse cuttings in solution for 1-2 minutes prior to planting
Seedlings	1 ounce per gallon of water	Apply as a foliar spray. Make the 1 st application 2-3 days after germination followed by 2 nd application 7 days later. Thereafter, reapply every 14 days until plants are established.
Container Production	Foliar Sprays: Dilute 4 quarts per 100 gallons of water and apply every 21 days. When plants are stressed, apply every 7-14 days. Drench Applications: Dilute 1/2 ounce per gallon of water and drench containers with only enough diluted solution to moisten throughout the root zone.	
Interior Landscape	Foliar Sprays: Dilute 2 ounces per gallon of water and apply as a thorough foliar spray every 30 days. Drench Applications: Dilute 1/2 ounce per gallon of water and drench containers with only enough diluted solution to moisten throughout the root zone. Stressed Plant Recovery: Move plant to a well-lighted area or holding nursery. Follow the dilution instructions above. Apply in 3 foliar applications 2 weeks apart. Make 2 drench applications 3 weeks apart	
Landscape Installations	6 pints per 100 gallons of water	At time of transplanting, apply one gallon of diluted solution to the root zone for each one inch of trunk caliper.

CONDITIONS OF SALE - LIMITED LIABILITY - LIMITATION OF LIABILITY AND REMEDIES

Seller warrants that this product conforms to the chemical description as stated on the label. The product is reasonably fit for the purpose stated on the label when used in accordance with label directions and instructions under normal conditions of use. Insufficient control of pests and / or crop injury may result from the occurrence of weather conditions or from failure to follow the label directions, or good application practices, all of which are beyond the control of the seller. The seller makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose.

The exclusive remedy against the seller for any cause of action relating to the handling or use of this product is a claim for damage and in no event shall damages against the seller exceed the price of the product.

The seller offers this product and the buyer and user accepts it, subject to the foregoing conditions of sale and limitation of warranty, liability, and remedies.



Resource LabelGroup, LLC

PHONE: 615.661.5900

147 Seaboard Lane
Franklin, TN 37067

email artwork to:
art@resource-label.com

If you have any
questions, please contact

RLG CSR
Fax: 615-661-5950

DATE: 1/5/07

COMPANY: Organic Laboratories, Inc.

ATTENTION: Mike Williams

DESCRIPTION: Fosilica 0-0-26 2.5 Gal

Base

LABEL SIZE: 6.75 x 6.75

SHAPE: RCR

LABELS/OD: 10" O.D.

UPC: None

FINISH: Lam

STOCK:

ADHESIVE:

RLG PART #: 2774-80095A

ARTIST: AT/JJ

REWIND 4



PLEASE EXAMINE THIS PROOF CAREFULLY FOR COPY, LAYOUT, SIZE COLOR BREAK, FDA, USDA, OR ANY OTHER AGENCY REGULATIONS. THE INFORMATION ON THIS PROOF APPROVAL, THE CONTENT AND ACCURACY OF THIS INFORMATION IS YOUR RESPONSIBILITY. RESOURCE LABELGROUP ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF COPY OR LEGAL COMPLIANCE OF THIS PROOF. YOUR SIGNATURE IS OUR AUTHORIZATION TO PRODUCE THIS ART WORK AS REPRESENTED BY THIS PROOF. PLEASE VERIFY AND SIGN THIS PROOF APPROVAL. NO PRODUCTION WILL BEGIN WITHOUT SIGNED APPROVAL.

RLG Proof Approval

Color proofs are not true representations of color, use for color breaks only.



PROCESS BLACK



PANTONE 342



DIELINE (does not print)

APPROVED

AS IS:

Signature of Authorized Customer Representative

Date

CHANGES:

(Please mark below)

Signature of Authorized Customer Representative

Date

FOSILICA

0-0-26

Potassium Phosphite & Potassium Silicate Fertilizer

Fosilica is a supplemental potassium fertilizer derived from potassium phosphite, a product obtained when phosphorous acid is neutralized with potassium hydroxide, and potassium silicate. Contains no available phosphate. Foliar fertilization is intended as a supplement to regular fertilization program and may not, by itself, provide the nutrients normally required by crops or other intended plants.

GUARANTEED ANALYSIS:

Soluble Potash (K₂O).....26.0%

Derived from: potassium phosphite, potassium silicate F-1251

CAUTION

KEEP OUT OF REACH OF CHILDREN HARMFUL IF SWALLOWED

SHAKE BEFORE USE: Polymers in this product have different densities that may result in layering over time but does not affect product integrity if shaken before use.

Before using this product, read all precautions, directions for use, conditions of sale, limited warranty and limits of liability and remedies.

Harmful if swallowed. May cause skin irritation. Avoid contact with skin and eyes. Wear suitable gloves and face shield when handling this product.

Skin contact: Wash with soap and water.

Eye contact: Flush with water for several minutes and then seek medical attention immediately

If inhaled: Move to fresh air and seek medical attention if irritation develops or persists.

If swallowed: If conscious, give milk or water to drink. Call a doctor immediately.

FORMULATION WARNING:

Fosilica contains soluble silica derived from potassium silicate. Fosilica should not be tank mixed with low pH products, as the silica may precipitate out of solution and clog irrigation or spray equipment when used at high rates. If the results are unknown when applying Fosilica with other products, conduct a compatibility test on a small plant sample before a larger area is treated. Fosilica is compatible with copper-based products under certain conditions. Do not use with copper if the final tank mix solution has a pH of 6.0 or less, or plant injury may occur. Do not exceed a 2% v/v spray solution for foliar applications. Do not use surfactants or adjuvants with this product.

Net contents:

2.5 gallons

Net weight:

12.6 lbs. per gallon

Manufactured by:

Terra Nova Turf Products: a division of Organic Laboratories, Inc.

TURF PRODUCTS

20X

2963 SE Dominica Terrace, Stuart, FL 34997 772-286-5581



www.organiclabs.com